## United States Department of Agriculture Animal and Plant Health Inspection Service Center for Veterinary Biologics P. O. Box 844 Ames, IA 50010

1. Reagent Name: Salmonella pullorum Stained K Polyvalent Antigen

2.	Strain or Source:	Standard Strain #11	Lot	4/83
		Variant Strain #77	Lot	8/86
		Variant Strain #79	Lot	8/86
		Intermediate Strain #296	Lot	8/86
		Intermediate Strain #4	Lot	8/86

**3. Lot Number:** 13-304

**4. Fill Date:** April 23, 2013

**5. Expiration Date:** April 25, 2015

**Precautions:** This material contains formalin at a final concentration of 1.0%  $^{v}/_{v}$ . Skin exposure should be treated by washing with soap and water. Eye exposure should be treated by flushing with a running stream of water under low pressure for at least twenty minutes. Cases of ingestion or injection need immediate consultation with a health care professional. Disposal should be conducted in consultation with the institutional safety committee.

- **6. Intended Use:** This reference is for evaluating the sensitivity of *S. pullorum* antigens as outlined in the Code of Federal Regulations, Title 9, Part 113.407.
- 7. **Instructions for Use:** Use undiluted per instructions in **SAM 602**.
- **8. Test of Reagent:** The antigen was tested for purity, formalin content, sensitivity, density, hydrogen ion concentration and homogeneity and was found to be satisfactory.
- 9. Container Size, Type, Weight, or Volume: Amber bottle with dropper top containing 55 mL of reference.
- 10. Storage Conditions: This product is to be stored at 4°C.
- **11. CVB Technical Contact:** Dr. Carol Belzer, Virology Section, Center for Veterinary Biologics, (515) 337-7508.
- **12. Origin and Passage History:** *Salmonella pullorum* strains #4, #11, #77, #79, and #296 were obtained from the National Veterinary Services Laboratory and are maintained as reference cultures at the Center for Veterinary Biologics, Ames, Iowa.

VIRDAT4055.02 Page 1 of 2

**13. Method of Preparation:** The five *S. pullorum* strains were grown on agar culture, harvested and suspended in Phosphate Buffered Saline with 1.0% formalin and 0.3% crystal violet. Each strain was standardized, and then combined in equal proportions. The antigen was bottled, tested and stored.

## **14. Other:** None

Reagent orders and feedback should be sent *including phone number* to the following email address: CVB@aphis.usda.gov

Reagent orders forms (APHIS 2018) are available from: <a href="http://www.aphis.usda.gov/animalhealth/cvb\_forms">http://www.aphis.usda.gov/animalhealth/cvb\_forms</a>

**REVISED:** 15Jul14 cab

VIRDAT4055.02 Page 2 of 2